UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/830,992	05/03/2001	Wilfried Lubisch	49500	7169
32116 7590 03/08/2007 WOOD, PHILLIPS, KATZ, CLARK & MORTIMER 500 W. MADISON STREET SUITE 3800 CHICAGO, IL 60661			EXAMINER	
			WOODWARD, MICHAEL P	
			ART UNIT	PAPER NUMBER
			1615	
SHORTENED STATUTORY I	PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
30 DAYS 03/08/2007		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

Application No. Applicant(s) **Notice of Non-Compliant** LUBISCH ET AL. 09/830.992 Examiner -**Art Unit** Amendment (37 CFR 1.121) Michael P. Woodward 1615 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --The amendment document filed on _____ is considered non-compliant because it has failed to meet the requirements of 37 CFR 1.121 or 1.4. In order for the amendment document to be compliant, correction of the following item(s) is required. THE FOLLOWING MARKED (X) ITEM(S) CAUSE THE AMENDMENT DOCUMENT TO BE NON-COMPLIANT: 1. Amendments to the specification: A. Amended paragraph(s) do not include markings. B. New paragraph(s) should not be underlined. C. Other 2. Abstract: A. Not presented on a separate sheet. 37 CFR 1.72. ☐ B. Other 3. Amendments to the drawings: A. The drawings are not properly identified in the top margin as "Replacement Sheet," "New Sheet," or "Annotated Sheet" as required by 37 CFR 1.121(d). ☐ B. The practice of submitting proposed drawing correction has been eliminated. Replacement drawings showing amended figures, without markings, in compliance with 37 CFR 1.84 are required. C. Other _ □ 4. Amendments to the claims: A. A complete listing of all of the claims is not present. B. The listing of claims does not include the text of all pending claims (including withdrawn claims) C. Each claim has not been provided with the proper status identifier, and as such, the individual status of each claim cannot be identified. Note: the status of every claim must be indicated after its claim number by using one of the following status identifiers: (Original), (Currently amended), (Canceled), (Previously presented), (New), (Not entered), (Withdrawn) and (Withdrawn-currently amended). D. The claims of this amendment paper have not been presented in ascending numerical order. ⋈ E. Other: see attached. 5. Other (e.g., the amendment is unsigned or not signed in accordance with 37 CFR 1.4): For further explanation of the amendment format required by 37 CFR 1.121, see MPEP § 714. TIME PERIODS FOR FILING A REPLY TO THIS NOTICE: 1. Applicant is given no new time period if the non-compliant amendment is an after-final amendment or an amendment filed after allowance. If applicant wishes to resubmit the non-compliant after-final amendment with corrections, the entire corrected amendment must be resubmitted. 2. Applicant is given one month, or thirty (30) days, whichever is longer, from the mail date of this notice to supply the correction, if the non-compliant amendment is one of the following: a preliminary amendment, a non-final amendment (including a submission for a request for continued examination (RCE) under 37 CFR 1.114), a supplemental amendment filed within a suspension period under 37 CFR 1.103(a) or (c), and an amendment filed in response to a Quayle action. If any of above boxes 1. to 4. are checked, the correction required is only the corrected section of the non-compliant amendment in compliance with 37 CFR 1.121. Extensions of time are available under 37 CFR 1.136(a) only if the non-compliant amendment is a non-final amendment or an amendment filed in response to a Quayle action. Failure to timely respond to this notice will result in: Abandonment of the application if the non-compliant amendment is a non-final amendment or an amendment filed in response to a Quayle action; or Non-entry of the amendment if the non-compliant amendment is a preliminary amendment or supplemental amendment. Telephone No.

Legal Instruments Examiner (LIE), if applicable

Page 2

Application/Control Number: 09/830,992

Art Unit: 1615

The amendments filed in this application subsequent to that of June 18, 2003 have not been in compliance with 37 CFR §1.121. The last amendment received in this case was filed May 20, 2005. The examiner is supplying a marked up copy of the claims filed May 20, 2005 which markings indicate changes to the claims from the way they existed as of June 18, 2003. Markings in yellow indicate that a change was made in the amendment of May 20, 2005 without the proper underlining whereas markings in pink indicate that the proposed amendment had already been made to the claims prior to May 20, 2005. It is hoped that this will facilitate applicant's filing an amendment in compliance with 37 CFR §1.121.

The Office apologizes for the lengthy delay in communicating with applicant.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael P. Woodward whose telephone number is 571-272-8373. The examiner can normally be reached on Monday through Thursday from 9:30 AM to 6:30PM. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MICHAEL P. WOODWARD SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 1600